



Adform – HTML5 Standard Takeover (980x400 + Wallpaper)



Production Guide

Table of Contents

HTML5 Standard Takeover (980x400 + Wallpaper)	2
User Experience	2
Creative assets	2
Banner asset	2
Additional Information	3
Other	3



Production Guide 2

HTML5 Standard Takeover (980x400 + Wallpaper)

The format consists of the following parts:

- HTML stage;
- · Wallpaper.

User Experience

A user opens the webpage and sees wallpaper and a 980x400 standard HTML ad in the placement. The ad can offer additional rich media experience. It accommodates a link to the predefined landing page.

Creative assets

The following items are to be delivered by a creative agency:

- Banner asset containing manifest.json file and HTML file zipped together with images, scripts and other material;
- 1680 (w) x 1200 (h) (or as required) wallpaper image file.

Note: manifest.json file and HTML file should be in the root directory of the .zip file.

Banner asset

 Manifest.json file should define the ad dimensions and the HTML file which is used as a banner source

```
"version": "1.0",

"title": "Standard_Leaderboard_980x400_V1",
   "description": "A standard Leaderboard banner 980x400",

"width" : "980",
   "height": "400",
```



Production Guide 3

```
"events": {
     "enabled": 1,
     "list": { }
},

"clicktags": {
     "clickTAG": "http://www.adform.com/site/"
},

"source": "Standard_Leaderboard_980x400.html"
}
```

HTML file should include Adform HTML library which enables the banner to receive a clickTAG variable:

```
<script src="http://sl.adform.net/banners/scripts/rmb/Adform.DHTML.js"></script>
```

• The following JavaScript code can be used as a clickTAG value assigned to the banner:

```
<script>
var banner = document.getElementById('banner');
clickTAGvalue = dhtml.getVar('clickTAG', 'http://www.example.com'); //banner will
receive clickTAG value - if not defined, banner will land to example.com
landingpagetarget = dhtml.getVar('landingPageTarget', '_blank'); //landingPageTarget
variable enables to change target from Adform system.

banner.onclick = function() {
   window.open(clickTAGvalue,landingpagetarget); //when banner is clicked it will open
new window directing to clickTAG value
}

<pr
```

Additional Information

In order to deliver HTML5 banners fully compliant with the specs, follow the instructions on *Producing Standard HTML5 banners* in Adform Test and Support Center:

http://creative.adform.com/support/documentation/build-html5-banners/html5-banner-formats/standard-html-ad/

Other

For any questions please contact traffic@adform.com

